


# NÜROO POCKET VALUE ANALYSIS

## SAFETY

Not made  
*with*  
**NATURAL  
RUBBER LATEX**



**REDUCES  
THE RISK**  
of an infant drop/fall  
by maintaining  
proper positioning



**LINES + TUBES**  
secure to Pocket  
with clip.

## QUALITY

**PATENTED**  
  
ISO 9001  
CERTIFIED

LISTED WITH THE  
**FDA**  
AS A CLASS I  
MEDICAL DEVICE



ABLE TO  
WITHSTAND  
**INDUSTRIAL  
LAUNDERING**

**ASTM**  
CERTIFIED AS AN  
INFANT CARRIER

BREATHABLE,  
MOISTURE  
WICKING,  
SOFT  
COMPRESSION FIT



## OUTCOME IMPROVEMENTS

**POSITIVE  
NEUROBEHAVIORAL  
OUTCOMES**  
[Feldman]

**NOSOCOMIAL  
INFECTIONS**  
[Conde-Agudelo]

**BREAST FEEDING  
+ WEIGHT GAIN**  
[Samra]


**RISK OF  
ACCIDENTAL  
EXTUBATION**

**PAIN DURING  
HEEL STICK  
PROCEDURES**  
[Johnston]

**SCORING  
FOR NAS  
NEONATES**

**LOS**  
[Conde-Agudelo]

## VALUE




**EARLIER  
DISCHARGE**  
opens up capacity  
and enhances  
satisfaction  
with care  
[NHS]



**REDUCED LOS**  
has financial benefit,  
especially in cases of  
capitated payments  
[McClead]

**REDUCTION IN  
LAUNDRY COSTS**  
as blankets are  
replaced with  
the Pocket.



## REFERENCES

Feldman R, Rosenthal Z, Eidelman AI. Maternal-preterm skin-to-skin contact enhances child physiologic organization and cognitive control across the first 10 years of life. *Biol Psychiatry*. 2014 Jan 1;75(1):56–64.

Conde-Agudelo A, Belizán JM, Diaz-Rossello J. Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. In: The Cochrane Collaboration, editor. *Cochrane Database of Systematic Reviews* [Internet]. Chichester, UK: John Wiley & Sons, Ltd; 2011 [cited 2016 Apr 12]. Available from: <http://doi.wiley.com/10.1002/14651858.CD002771.pub2>

Samra NM, Taweel AE, Cadwell K. Effect of intermittent kangaroo mother care on weight gain of low birth weight neonates with delayed weight gain. *J Perinat Educ*. 2013;22(4):194–200.

Johnston C, Campbell-Yeo M, Fernandes A, Inglis D, Streiner D, Zee R. Skin-to-skin care for procedural pain in neonates. *Cochrane Database Syst Rev*. 2014;1:CD008435.

Length of Stay - Reducing Length of Stay - NHS Institute for Innovation and Improvement [Internet]. [cited 2016 Apr 12]. Available from: [http://www.institute.nhs.uk/quality\\_and\\_service\\_improvement\\_tools/quality\\_and\\_service\\_improvement\\_tools/length\\_of\\_stay/](http://www.institute.nhs.uk/quality_and_service_improvement_tools/quality_and_service_improvement_tools/length_of_stay/)

McClead RE MD. Length of Stay Reduction: A Quality Improvement Project for Neonatal Abstinence Syndrome [Internet]. Available from: [http://www.astho.org/Programs/Prevention/Injury-and-Violence-Prevention/\\_Materials/Neonatal\\_Abstinence\\_Syndrome\\_MCCLEAD/](http://www.astho.org/Programs/Prevention/Injury-and-Violence-Prevention/_Materials/Neonatal_Abstinence_Syndrome_MCCLEAD/)